ELSEVIER

Neuroscience Letters 314 (2001) 157–159

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 314

Aglioti, S., see Farina, S., 97
Ahn, H., see Kang, M., 25
Alagona, G., Bella, R., Ferri, R., Carnemolla, A., Pappalardo, A., Costanzo, E., Pennisi, G., Transcranial magnetic stimulation in Alzheimer disease: motor cortex excitability and cognitive severity, 57
Alho, K., see Gumenyuk, V., 147
Alonso, J., see Castellano, M.A., 127
Anderson, S.I., see Leslie, R.A., 111
Andrews, P.L.R., Kovacs, M., Watson, J.W., The anti-emetic action of the neurokinin$_1$ receptor antagonist CP-99,994 does not require the presence of the area postrema in the dog, 102
Argiolas, A., see Melis, M.R., 123

Baker, M., see Russ, C., 92
Barbaresi, P., Glutamate transporter EAAC1 in the cat periaqueductal gray matter, 9
Barc, S., Page, G., Barrier, L., Piriou, A., Fauconneau, B., Impairment of the neuronal dopamine transporter activity in MPP$^+$-treated rat was not prevented by treatments with nitric oxide synthase or poly(ADP-ribose) polymerase inhibitors, 82
Barrier, L., see Barc, S., 82
Bella, R., see Alagona, G., 57
Berezov, T.T., see Koudinov, A.R., 115
Bittman, E.L., see Fukuhara, C., 119
Björkhem, I., see Bogdanovic, N., 45
Blasig, I., see Mertsch, K., 135
Blennow, K., see Sjögren, M., 33
Bogdanovic, N., Bretillon, L., Lund, E.G., Diczfalusy, U., Lannfelt, L., Winblad, B., Russell, D.W., Björkhem, I., On the turnover of brain cholesterol in patients with Alzheimer's disease. Abnormal induction of the cholesterol-catabolic enzyme CYP46 in glial cells, 45
Bretillon, L., see Bogdanovic, N., 45
Brewer, J.M., see Fukuhara, C., 119

Carnemolla, A., see Alagona, G., 57
Castellano, M.A., Rojas-Díaz, D., Martín, F., Quintero, M., Alonso, J., Navarro, E., González-Mora, J.L., Opposite effects of low and high doses of arginine on glutamate-induced nitric oxide formation in rat substantia nigra, 127
Chang, S.-F., Mok, M.S., The influence of different sub-type delta opioid receptors in nerve growth factor-induced neuronal differentiation in rat pheochromocytoma PC12 cell, 29
Chen, J.Y.-R., Hsu, P.-C., Hsu, I.-L., Yeh, G.-C., Sequential up-regulation of the *c-fos*, *c-jun* and *bax* genes in the cortex, striatum and cerebellum induced by a single injection of a low dose of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) in C57BL/6 mice, 49
Connolly, G.P., Hypoxanthine-guanine phosphoribosyltransferase-deficiency produces aberrant neurite outgrowth of rodent neuroblastoma used to model the neurological disorder Lesch Nyhan syndrome, 61
Costanzo, E., see Alagona, G., 57
Crawford, F., see Russ, C., 92
Cruts, M., see Russ, C., 92

Deuschl, G., see Wilms, H., 107
Deutsch, D.G., see Puffenbarger, R.A., 21
Diczfalusy, U., see Bogdanovic, N., 45
Dirden, J.C., see Fukuhara, C., 119

Ebling, F.J.P., see Leslie, R.A., 111
Edagawa, Y., Smriga, M., Nishiyama, N., Saito, H., Systemic administration of lentinan, a branched β-glucan, enhances long-term potentiation in the rat dentate gyrus in vivo, 139
Edvinsson, L., see Szok, D., 69
Elbert, T., see Obleser, J., 131
Escera, C., see Gumenyuk, V., 147
Eulitz, C., see Obleser, J., 131

Farina, S., Valeriani, M., Rosso, T., Aglioti, S., Tamburin, S., Fiaschi, A., Tinazzi, M., Transient inhibition of the human motor cortex by capsaicin-induced pain. A study with transcranial magnetic stimulation, 97
Fauconneau, B., see Barc, S., 82
Fay, R., Kubin, L., 5-HT$_{2A}$ receptor-like protein is present in small neurons located in rat mesopontine cholinergic nuclei, but absent from cholinergic neurons, 77
Ferreira-Silva, L., see Madeira, M.D., 73
Ferri, R., see Alagona, G., 57
Fiaschi, A., see Farina, S., 97
Fukuhara, C., Brewer, J.M., Dirden, J.C., Bittman, E.L., Tosini, G., Harrington, M.E., Neuropeptide Y rapidly reduces *Period 1* and *Period 2* mRNA levels in the hamster suprachiasmatic nucleus, 119

Garifoli, A., see Valle, M.S., 41
Gisslén, M., see Sjögren, M., 33
Glover, G.H., see Kato, C., 5
González-Mora, J.L., see Castellano, M.A., 127
Granato, T., see Mollace, V., 53
Grune, T., see Mertsch, K., 135
Gumenyuk, V., Korzyukov, O., Alho, K., Escera, C., Schröger, E., Ilmoniemi, R.J., Näätänen, R., Brain activity index of distractibility in normal school-age children, 147

Hansen-Schwartz, J., see Szok, D., 69
Harrington, M.E., see Fukuhara, C., 119
Hermans, E., see Schutter, D.J.L.G., 13
Holmin, S., von Gertten, C., Sandberg-Nordqvist, A.-C., Lendahl, U.,

PII: S0304-3940(01)02415-6

Mathiesen, T., Induction of astrocytic nestin expression by depolarization in rats, 151
Horan, T.L., see Leslie, R.A., 111
Houtani, T., see Kakimoto, S., 37
Howell, J.M., see Puffenbarger, R.A., 21
Hsu, I.-L., see Chen, J.-Y.R., 49
Hsu, P.-C., see Chen, J.-Y.R., 49
Huh, Y., see Kang, M., 25
Hutton, M., see Russ, C., 92

Iannone, M., see Mollace, V., 53
Ilmoniemi, R.J., see Gumenyuk, V., 147
Itoh, H., see Takahashi, T., 143
Müller, K., see Zysset, S., 1

Kado, H., see Takahashi, T., 143
Kaiser, J., Lutzenberger, W., Location changes enhance hemispheric asymmetry of magnetic fields evoked by lateralized sounds in humans, 17
Kakimoto, S., Houtani, T., Sato, K., Ueyama, T., Sakuma, S., Munemoto, Y., Ohishi, H., Kase, M., Yamashita, T., Takeshima, H., Sugimoto, T., Brainstem auditory regions in mice: expression of nociceptin/orphanin FQ precursor mRNA in select neurons, 37
Kang, M., Park, C., Ahn, H., Huh, Y., Ectopic expression of serotonin-positive neurons in the hypothalamus associated with a significant serotonin decrease in the midbrain of food restricted rats, 25
Kapulina, O., see Puffenbarger, R.A., 21
Kase, M., see Kakimoto, S., 37
Kato, C., Matsuo, K., Matsuzawa, M., Moriya, T., Glover, G.H., Nakai, T., Activation during endogenous orienting of visual attention using symbolic pointers in the human parietal and frontal cortices: a functional magnetic resonance imaging study, 5
Kim, H.-J., Moon, K.-D., Oh, S.-Y., Kim, S.-P., Lee, S.-R., Ether fraction of methanol extracts of *Gastrodia elata*, a traditional medicinal herb, protects against kainic acid-induced neuronal damage in the mouse hippocampus, 65
Kim, S.-P., see Kim, H.-J., 65
Kimura, H., see Takahashi, T., 143
Korzyukov, O., see Gumenyuk, V., 147
Kosaka, H., see Takahashi, T., 143
Koudinov, A.R., Berezov, T.T., Koudinova, N.V., The levels of soluble amyloid beta in different high density lipoprotein subfractions distinguish Alzheimer's and normal aging cerebrospinal fluid: implication for brain cholesterol pathology? 115
Koudinova, N.V., see Koudinov, A.R., 115
Kovacs, M., see Andrews, P.L.R., 102
Kubin, L., see Fay, R., 77

Lahiri, A., see Obleser, J., 131
Lannfelt, L., see Bogdanovic, N., 45
Lee, S.-R., see Kim, H.-J., 65
Lehmann, C., see Zysset, S., 1
Lendahl, U., see Holmin, S., 151
Leslie, R.A., Sanders, S.J.K., Anderson, S.I., Schuhler, S., Horan, T.L., Ebling, F.J.P., Appositions between cocaine and amphetamine-related transcript- and gonadotropin releasing hormone-immunoreactive neurons in the hypothalamus of the Siberian hamster, 111
Lovestone, S., see Russ, C., 92
Lucius, R., see Wilms, H., 107
Lund, E.G., see Bogdanovic, N., 45
Lutzenberger, W., see Kaiser, J., 17

Maci, T., see Valle, M.S., 41
Madeira, M.D., Ferreira-Silva, L., Ruela, C., Paula-Barbosa, M.M., Differential effects of the aging process on the morphology of the hypothalamic ventromedial nucleus of male and female rats, 73
Martín, F., see Castellano, M.A., 127
Martín-Aparicio, E., see Moreno-Flores, M.T., 87
Mascia, M.S., see Melis, M.R., 123
Mathiesen, T., see Holmin, S., 151
Matsuo, K., see Kato, C., 5
Matsuzawa, M., see Kato, C., 5
Melis, M.R., Succu, S., Mascia, M.S., Argiolas, A., The activation of γ aminobutyric $acid_A$ receptors in the paraventricular nucleus of the hypothalamus reduces non-contact penile erections in male rats, 123
Mertsch, K., Blasig, I., Grune, T., 4-Hydroxynonenal impairs the permeability of an in vitro rat blood–brain barrier, 135
Miltner, W.H.R., see Opsommer, E., 156
Mok, M.S., see Chang, S.-F., 29
Mollace, V., Muscoli, C., Palma, E., Iannone, M., Granato, T., Nistico, R., Rotiroti, D., Central cardiovascular responses induced by interleukin 1β and tumor necrosis factor α infused into nucleus tractus solitarii, nucleus parabrachialis medialis and third cerebral ventricle of normotensive rats, 53
Moon, K.-D., see Kim, H.-J., 65
Moreno-Flores, M.T., Martín-Aparicio, E., Salinero, O., Wandosell, F., Fibronectin modulation by Aβ amyloid peptide (25–35) in cultured astrocytes of newborn rat cortex, 87
Moriya, T., see Kato, C., 5
Mullan, M., see Russ, C., 92
Müller, K., see Zysset, S., 1
Munemoto, Y., see Kakimoto, S., 37
Murata, T., see Takahashi, T., 143
Muscoli, C., see Mollace, V., 53

Näätänen, R., see Gumenyuk, V., 147
Nakai, T., see Kato, C., 5
Navarro, E., see Castellano, M.A., 127
Nishiyama, N., see Edagawa, Y., 139
Nistico, R., see Mollace, V., 53

Obleser, J., Eulitz, C., Lahiri, A., Elbert, T., Gender differences in functional hemispheric asymmetry during processing of vowels as reflected by the human brain magnetic response, 131
Oh, S.-Y., see Kim, H.-J., 65
Ohishi, H., see Kakimoto, S., 37
Omori, M., see Takahashi, T., 143
Opsommer, E., Weiss, T., Plaghki, L., Miltner, W.H.R., Erratum to "Dipole analysis of ultralate (C-fibres) evoked potentials after laser stimulation of tiny cutaneous surface areas in humans "[Neurosci. Lett. 298 (2001) 41–44], 156

Page, G., see Barc, S., 82
Palma, E., see Mollace, V., 53
Pappalardo, A., see Alagona, G., 57
Park, C., see Kang, M., 25
Paula-Barbosa, M.M., see Madeira, M.D., 73
Pennisi, G., see Alagona, G., 57
Perciavalle, V., see Valle, M.S., 41
Piriou, A., see Barc, S., 82
Plaghki, L., see Opsommer, E., 156
Powell, J.F., see Russ, C., 92

Puffenbarger, R.A., Kapulina, O., Howell, J.M., Deutsch, D.G., Characterization of the 5′-sequence of the mouse fatty acid amide hydrolase, 21
Putman, P., see Schutter, D.J.L.G., 13

Quintero, M., see Castellano, M.A., 127

Rojas-Díaz, D., see Castellano, M.A., 127
Roks, G., see Russ, C., 92
Rosenstiel, P., see Wilms, H., 107
Rosso, T., see Farina, S., 97
Rotiroti, D., see Mollace, V., 53
Ruela, C., see Madeira, M.D., 73
Russ, C., Powell, J.F., Zhao, J., Baker, M., Hutton, M., Crawford, F., Mullan, M., Roks, G., Cruts, M., Lovestone, S., The microtubule associated protein Tau gene and Alzheimer's disease – an association study and meta-analysis, 92
Russell, D.W., see Bogdanovic, N., 45

Saito, H., see Edagawa, Y., 139
Sakuma, S., see Kakimoto, S., 37
Salinero, O., see Moreno-Flores, M.T., 87
Sandberg-Nordqvist, A.-C., see Holmin, S., 151
Sanders, S.J.K., see Leslie, R.A., 111
Sato, K., see Kakimoto, S., 37
Schröger, E., see Gumenyuk, V., 147
Schuhler, S., see Leslie, R.A., 111
Schutter, D.J.L.G., Putman, P., Hermans, E., van Honk, J., Parietal electroencephalogram beta asymmetry and selective attention to angry facial expressions in healthy human subjects, 13
Sievers, J., see Wilms, H., 107
Sjögren, M., Gisslén, M., Vanmechelen, E., Blennow, K., Low cerebrospinal fluid β-amyloid 42 in patients with acute bacterial meningitis and normalization after treatment, 33
Smriga, M., see Edagawa, Y., 139
Succu, S., see Melis, M.R., 123
Sugimoto, T., see Kakimoto, S., 37
Szok, D., Hansen-Schwartz, J., Edvinsson, L., In depth pharmacological characterization of endothelin B receptors in the rat middle cerebral artery, 69

Takahashi, K., see Takahashi, T., 143
Takahashi, T., Murata, T., Omori, M., Kimura, H., Kado, H., Kosaka, H., Takahashi, K., Itoh, H., Wada, Y., Quantitative evaluation of magnetic resonance imaging of deep white matter hyperintensity in geriatric patients by multifractal analysis, 143
Takeshima, H., see Kakimoto, S., 37
Tamburin, S., see Farina, S., 97
Thöne-Otto, A.I.T., see Zysset, S., 1
Tinazzi, M., see Farina, S., 97
Tosini, G., see Fukuhara, C., 119

Ueyama, T., see Kakimoto, S., 37

Valeriani, M., see Farina, S., 97
Valle, M.S., Garifoli, A., Maci, T., Perciavalle, V., Reticulocerebellar projections to the anterior and posterior lobes of the rat cerebellum, 41
van Honk, J., see Schutter, D.J.L.G., 13
Vanmechelen, E., see Sjögren, M., 33
von Cramon, D.Y., see Zysset, S., 1
von Gertten, C., see Holmin, S., 151

Wada, Y., see Takahashi, T., 143
Wandosell, F., see Moreno-Flores, M.T., 87
Watson, J.W., see Andrews, P.L.R., 102
Weiss, T., see Opsommer, E., 156
Wilms, H., Rosenstiel, P., Sievers, J., Deuschl, G., Lucius, R., Cerebrospinal fluid from patients with neurodegenerative and neuron inflammatory diseases: no evidence for rat glial activation in vitro, 107
Winblad, B., see Bogdanovic, N., 45

Yamashita, T., see Kakimoto, S., 37
Yeh, G.-C., see Chen, J.-Y.R., 49

Zhao, J., see Russ, C., 92
Zysset, S., Müller, K., Lehmann, C., Thöne-Otto, A.I.T., von Cramon, D.Y., Retrieval of long and short lists from long term memory: a functional magnetic resonance imaging study with human subjects, 1